Web Images Videos Maps News Shopping Gmail more ▼





Search

Advanced search

Instant is off ▼



Partitioning data access requests - Patent 7340447

About 8,420 results (0.37 seconds)

More

🗖 by SP Ghatare - 2008 - Cited by 7 - Related articles

Search near...

Enter location Set

Mar 4, 2008 ... For each entry in the **data store**, a set of **attributes** are stored. ... Some Identity Systems use **LDAP** directories to store data. ... The **filter expression** is provided to the one or more data sources associated After authenticating the user, Web Gate 28 **queries** Access Server 34 about whether the ... www.freepatentsonline.com/7340447.html - Cached

_Show search tools

2. Efficient retrieval and storage of directory information system ...

by A Keni - 2010 - Related articles
"Using **LDAP** Directory Caches" Proceedings of the 18th **ACM ...**www.freepatentsonline.com/7779022.html - Cached

3. Method for deferred deletion of entries for a directory service ...

by DW Bachmann - 2007 - Cited by 5 - Related articles **LDAP** provides a number of known functions including **query** (search and ...

www.freepatentsonline.com/7313581.html - Cached

IShow more results from freepatentsonline.com

4. [PDF] The Lightweight Directory Access Protocol: X.500 Lite

File Format: PDF/Adobe Acrobat - Quick View by TA Howes - 1995 - Cited by 35 - Related articles It runs directly over TCP and uses a simplified **data** representation for many A **filter** specifies the entries within the scope to select. The **LDAP** search typical DAP and **LDAP queries**. The tests were conducted on a dedicated machine defining a URL **format** for **LDAP** [3], and a. URL-valued **attribute** for ... www.openIdap.org/pub/umich/Idap.pdf - Similar

5. [PDF] The OpenLDAP Proxy Cache

File Format: PDF/Adobe Acrobat - Quick View

by A Kumar - Cited by 5 - Related articles

LDAP search requests (**queries**). The **LDAP** proxy cache **stores** data and ...

www.openIdap.org/pub/kapurva/proxycaching.pdf - Similar

6. [PDF] Design and Implementation of LDAP Component Matching for Flexible ...

File Format: PDF/Adobe Acrobat - Quick View by SS Lim - Cited by 5 - Related articles order to automatically extract and **store** the certificate components ... www.open**Idap**.org/pub/slim/CMPaper.pdf - Similar

■Show more results from openIdap.org

7. [PDF] View or Download - Efficient Cache Answerability for XPath Queries

File Format: PDF/Adobe Acrobat - Quick View by PJ Marrón - Cited by 9 - Related articles

XML **Data** Model: An efficient **storage** and retrieval mechanism for XML. ... XPath **query** can be translated into **LDAP queries** of the form [ML01]: ... combination of atomic **filters** of the form (a op t), where: – a is an **attribute** name; swers over semistructured **data**. In Proceedings of the Eighteenth **ACM** SIGACT- ... citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.143.9723...

8. [PDF] Efficient Cache Answerability for XPath Queries

File Format: PDF/Adobe Acrobat - Quick View by PJ Marrón - Cited by 9 - Related articles element, **attribute** and text nodes. An XPath **Query** QX is formed by the ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.144.838&rep...

9. [PDF] Revisiting the Hierarchical Data Model

File Format: PDF/Adobe Acrobat by HV JAGADISH - Cited by 7 - Related articles **partitioning** of the data set into subsets (rooted sub- ... from most other ... citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.29...

♣Show more results from psu.edu

10. [PDF] LDAP Query Access: Limitations and Opportunities

by B Plale - Related articles
a security model, an naming model, an interchange **format**, and a **query** access interface. ... Speci cally, **LDAP** uses a hierarchical
data model of **data storage**. ... having limited functionality force the **expression** of more general **queries** with larger resulting data ... In
Proceedings **ACM** SIGMOD Conference, 1999. ...
www.ggf.org/documents/Drafts/.../LDAP%20Query%20Access.pdf

11. [PDF] On Processing XML in LDAP

File Format: PDF/Adobe Acrobat - Quick View by PJ Marron - 2001 - Cited by 22 - Related articles data and queries, which will be used in section3 ... database available in XML format from[14]. In it, we can see that the elementcountryhas ... Figure4:Query R epresentation in LDAP. The detailed list of attributes that consti- ... by the filter expression. fqL is the filter expression defined as the boolean ... www.vldb.org/conf/2001/P601.pdf

12. Beyond Relational Databases - ACM Queue

by M Seltzer - Cited by 34 - Related articles

One—the focus of this article—is the need for **data storage** and retrieval functions Like data warehousing, **LDAP** is characterized by read-mostly access. ... based on **attribute** values (find all users in the engineering department). software architecture, and the "natural" data **format** of the application. ... queue.acm.org/detail.cfm?id=1059807 - Cached - Similar

13. Html - The ACM Portal

by D Jones - 2006
n"; ##: **Query LDAP** to get a list of employees if(\$attr ne "none")
{ \$mesg ...
portal.acm.org/ft_gateway.cfm?id=1183017&type=html

14. Pdf - Secure and Flexible Certificate Access in WS-Security ...

by SS Lim - 2004 - Cited by 2 - Related articles **ACM** Workshop on Secure Web Services, October 29,2004, Fairfax VA, ...

portal.acm.org/ft_gateway.cfm?id=1111358&type=pdf

■Show more results from acm.org

15. LNCS 3347 - A Nested Transaction Model for LDAP Transactions

by D Biswas - 2005 - Related articles implementation of **LDAP** that uses DB2 as the **data store** and **query** engine to meet the ... Obtain the EIDs matching the search **filter** from the **attribute** tables. In Proceedings of **ACM**-SIGMOD 1987, pages 239-- 248. ...

www.springerlink.com/index/q86hc6dvcygga4ey.pdf

16. EDGE CACHING FOR DIRECTORY BASED WEB APPLICATIONS

by A Kumar - 2004 - Cited by 2 - Related articles
An **LDAP query filter** F1 is semantically contained in another query ...

www.springerlink.com/index/n26l425217l2gm66.pdf

17. Data Providers — A Language Experiment *

by J Pfaltz - 2000 - Related articles

A persistent myth is that database systems must be **data storage** systems. ...

www.springerlink.com/index/y0m33v125ncgyycr.pdf - Similar

■Show more results from springerlink.com

18. LDAP: Framework, Practices, and Trends

by V Koutsonikola - 2004 - Cited by 36 - Related articles **LDAP queries** can also vary according to the DIT level at which ...
objects by defining new **LDAP** object classes (to which XML nodes, elements, and **attributes** will be mapped). **LDAP data**management, particularly **storage** and retrieval, could improve ...
She is a member of the IEEE Computer Society and the **ACM**. ...
doi.ieeecomputersociety.org/10.1109/MIC.2004.44

19. Filter Based Directory Replication: Algorithms and Performance

by A Kumar - 2005 - Cited by 1 - Related articles differences in **data** models and query languages of directory content and ...

doi.ieeecomputersociety.org/10.1109/ICDCS.2005.36

■Show more results from ieeecomputersociety.org

20. [PDF] Implementing LDAP Directory Hierarchy with Relations

File Format: PDF/Adobe Acrobat relational database as a robust, scaleable data store for ... queries to get desired information from the backing store. locate the entry EIDs which match the filter expression and text format of the form "attribute: value" as in the For attributes supporting ordering, LDAP filter provides ... dspace.lib.fcu.edu.tw/bitstream/2377/2108/1/ce07ics001998000152. pdf

21. [PDF] Edge Caching for Directory Based Web Applications:
Algorithms and ...

File Format: PDF/Adobe Acrobat - Quick View by A Kumar - Cited by 2 - Related articles

An LDAP query filter F1 is semantically contained in another query filter F2 if and only if the expression ... range for at least one of the attributes appearing in it. caching reduces the meta data to be maintained for Web Servers", ACM SIGMOD Workshop on the Web and. Databases, WebDB 2000. ...

2003.iwcw.org/papers/gupta.pdf

22. [PDF] Overview of Existing XML Storage Techniques

by S Amer-Yahia - Cited by 11 - Related articles

XML is the standard format for exchanging data between

relational, object and LDAP systems) to store XML data ...

horizontally partitioning the Edgerelation on thename attribute.

LDAP query language is a subset of XPath since it follows Users must write XPath expressions to specify XML ...

168.188.128.62/.../Overview%20of%20Existing%20XML%20Storage %20Techniques.pdf

23. [PDF] Efficiency Support for SMI-S with XML Database Ze Deng 1), Zhan ...

File Format: PDF/Adobe Acrobat - Quick View by Z Deng - Cited by 2 - Related articles

1 Key Laboratory of **Data Storage** System, Ministry of Education, School of Computer, found, it then **queries** XML database. Since almost all XML databases use XPath [9] as **query** ... type> as one XML **attribute** to facilitate XPath **expression**. ... Input: Service Type, ST, and **Idap Filter expression**, **IdapFilter** ...

repository.gunadarma.ac.id:8000/iiWAS2007(287-297)_88.pdf

24. Adirectory service is a searchable database

by V Koutsonikola - 2004 - Cited by 36 - Related articles for example, a typical **LDAP** entry might contain **attributes** such as the mailLocalAddress, ... tory, and the data-representation **format**, which is based on XML. **LDAP** Directory eral existing proposals for effective XML **data stor**- ... rithm that transforms any XPath **query** into a series of **LDAP queries** that achieve ... ieeexplore.ieee.org/iel5/4236/29479/01336746.pdf?... - Similar

25. Managing corba objects with dynamic behavior in a directory ...

by T Delot - 2002 - Cited by 1 - Related articles In the following we present how **LDAP queries** are query**expression** = base ... ieeexplore.ieee.org/iel5/7570/20623/00954076.pdf? arnumber=954076

■Show more results from ieee.org

26. Patents related to: RFC-Surf.com: 1564 - DSA Metrics (OSI-DS 34 (v3))

An **attribute** syntax for a distinguished name (DN) which is a reference is d. The method begins by parsing an **LDAP filter**-based **query** for elements and logical 6343287: External **data store** link for a profile service - A profile Won Kim; On Optimizing an SQL-Like Nested **Query**; **ACM** Transactions on ... www.patentsurf.net/\$CROSSREF/RFC-Surf.com/1564 - Cached

27. [PDF] Using LDAP from Java+Tomcat and Python+Zope

File Format: PDF/Adobe Acrobat - Quick View by H Blasum - 2003 - Related articles for the replication of directory **data**, **LDAP** is now provided as an for the transcontinental **LDAP query**). The interfaces of JLDAP and **store format**, that is then read in RegisterSSL.java by a call to java.security. ... **attribute** member, in version 8.6.2 it was uniqueMember (both are RFC 2256 compati- ... www.guug.de/veranstaltungen/.../ffg2003-blasum-en.pdf - Similar

28. Subscriber data management in IMS networks

by DF Lieuwen - 2006 - Cited by 9 - Related articles

Filter: (objectclass=SERVICE_PROFILE). Attribute: CFUactstate. Direct entity. Fused entity events published by the local data store. It analyzes the ... format (e.g., LDAP or SQL) of the data sources and routes the query to the data sources. member of the IEEE and ACM, and holds four patents. ... onlinelibrary.wiley.com/doi/10.1002/bltj.20134/pdf

29. [PS] On Processing XML in LDAP

File Format: Adobe PostScript - View as HTML the internal storage model is de ned in terms. of LDAP classes and ... cess; and (3) allow for e cient query process-. ing, partitioning and forwarding. 2.2 Query Representation. In addition to providing a **data** representation a tree containing element, attribute and text. nodes. An XPath Query Q X is ... www.informatik.uni-freiburg.de/~dbis/Publications/.../VLDB2001.ps 30. [PDF] Pedro Jos e Marr on and Georg Lausen Institut f ur Informatik ...

File Format: PDF/Adobe Acrobat - Quick View storage model is defined in terms of LDAP classes and attributes. as ... www.informatik.uni-freiburg.de/~dbis/.../TR147-HLCaches.pdf **♣**Show more results from uni-freiburg.de 31. Migrating from Site Server to Commerce Server 2000

Save your Web site usage logs in World Wide Web Consortium (W3C) format and ... Active Channel Multicaster/Active Channel Server (ACM/ACS), No equivalent functionality. You store the remaining attributes in a SQL Server database. LDAP Migrate ad data; Migrate ad schedules; Change ad tags to expressions ... msdn.microsoft.com/en-us/.../ee824045(CS.10).aspx Cached - Similar

32. [PDF] An Introduction to the e-XML Data Integration Suite

File Format: PDF/Adobe Acrobat - Quick View by G Gardarin - Cited by 21 - Related articles different data formats can be integrated and multiple client tools can be The Repository **storage** module performs the mapping of XML documents either into ... regular path expressions, users can query the database without the full There exists an XML standard (DTD and schema) for LDAP entries, called ...

www.cs.cmu.edu/~tomasic/doc/.../
GardarinMenschTomasicEDBT2002.pdf

33. [PDF] Grid computing and bioinformatics development. A case study on the ...

File Format: PDF/Adobe Acrobat - Quick View
by W Rungsarityotin - 2002 - Cited by 3 - Related articles
data structures, display of content, and format of the query
language, ... protocol, called LDAP. This catalog stores storage
system information such as of gene expression, and interactions
with at least two or more proteins. ... data attributes and its
computation methods. The attribute part is the ...
old.iupac.org/publications/pac/2002/pdf/7406x0891.pdf
34. [PDF] Implementation of PIS

File Format: PDF/Adobe Acrobat - Quick View
by P Thomas - 2007 - Cited by 2 - Related articles
Filters are responsible for parsing documents of various formats
per-query data. (A separate ServerSelect instance is used for each panel. to search an LDAP directory [Zeilenga, 2006]. It returns results of type LDAPResult, ... generated automatically from these attributes unless it is separately defined. ...
cs.anu.edu.au/techreports/2008/TR-CS-08-02.pdf

[PDF] A Reliable, Scalable General-purpose Certificate Store 1. Introduction

File Format: PDF/Adobe Acrobat - Quick View to above, and leads to problems both for humans (**LDAP queries** are specified ... product A may use a particular **attribute** which isn't supported by product B). ... to the **format** of the **data** it is storing. That is, the certificates being **expressions** with OR or the use of subqueries may cause the RDBMS to avoid ... www.cypherpunks.to/~peter/09a_cert_**store**.pdf - Similar

36. 6.4 Building a Spam-Checking Gateway

In that **format**, %b expands to a digest of the message body, %i expands to the For each preference for which amavisd can perform an **LDAP query**, ... the result **attribute** to be returned from the **LDAP** database to amavisd. With SpamAssassin 3.0, you could also **store** per-user Bayesian **data** in an SQL database. ...

book.opensourceproject.org.cn/.../spamassassin-chp-6-sect-4.html - Cached

37. Craig Lee Burket's resume

Oct 7, 2010 ... Directory Services Tools: Novell eDirectory, Novell DirXML, LDAP ... Wrote a SQL stored procedure that queries Stellent Content Tracker data in order to extract to Content Server and (2) specific LDAP user attributes are mapped using a ClearCase repository to store, label and track filter ... www.burket.net/craig/resume.htm - Cached

38. Open and Novel Issues in XML Database Applications: Future ...

Jagadish et al. For example. **Data** and application evolution systems. **ACM**. The key idea in this implementation is to allow the client to **partition** its **data** across K. used to search **LDAP** directory **data**. In this chapter. see the XQuery **expression** in Example 2 and its abstract syntax tree in Figure 2. ... www.scribd.com/.../Open-and-Novel-Issues-in-XML-**Data**base-Applications-Future-Directions-and-Advanced-Technologies 39. **[PDF]** Everything is a virtual filesystem: libferris

File Format: PDF/Adobe Acrobat - Quick View by B Martin - Cited by 2 - Related articles cific image file **format**. A transducer to extract some ... ther **storing attributes** on disk or by creating synthetic dropped in favor of regular **expression** matching using ... the **LDAP data** model have been removed. The opera- "eaquery://filter-shortnames-10/ (mtime>=blast week)". Figure 6: **Query** results as a ... www.kernel.org/doc/ols/2007/ols2007v1-pages-303-314.pdf 40. **[PS]** Revisiting the Hierarchical **Data** Model

File Format: Adobe PostScript - View as HTML archically organized **data**, and using the subtree scope. We represent an **LDAP query** using the syntax: base object DN? scope? **filter**. A query returns a ... www2.research.att.com/~divesh/papers/jls99-rev-hier.ps

REC 2703 - Protocol-independent Content Negotiation Framewor

41. RFC 2703 - Protocol-independent Content Negotiation Framework

For example, an **LDAP attribute** type for a media feature set. ... There is also an issue of round-trip or third-party **query** delays

while ... in the most useful **data format** being delivered to its intended recipient, Phone: +44 1491 641 641 +44 118 930 1300 Fax: +44 1491 641 611 +44 118 930 1301 EMail: GK@**ACM**. ... tools.ietf.org/html/rfc2703 - Cached - Similar

42. SpamAssassin/Integrating SpamAssassinwith Postfix - WikiContent

Mar 7, 2008 ... Messages that pass the **filter** are reinjected so that Postfix can the result **attribute** to be returned from the **LDAP** database to amavisd. Parameters left undefined will prevent **LDAP queries** from being With SpamAssassin 3.0, you could also **store** per-user Bayesian **data** in an SQL database. ... commons.oreilly.com/wiki/.../Integrating_SpamAssassinwith_Postfix - Cached

43. [PDF] Microsoft PowerPoint - lezione10-uml

File Format: PDF/Adobe Acrobat - Quick View by S Andreozzi - Related articles

Available data access protocols (e.g., gridftp, rfio) ... Expressing relationships among. Computing and Storage Services ... For inputs in an Idap query (beside the URL and Auth): ●. Base dn, Scope,

Filter, Attributes. ● O ther LDAP Brow sers: ... Perspective, ACM SIGM OD '98, Seattle, W A, USA ...

www.cnaf.infn.it/~ferrari/seminari/griglie05/lezione10-uml.pdf

44. [PDF] Scalable Computing: Practice and Experience Volume 6, Number 1, pp ...

File Format: PDF/Adobe Acrobat - Quick View by W HOSCHEK - Related articles
That is, query output **format** and publication input **format** are the same (see The Service Location Protocol (SLP) [35] uses multicast, softstate and simple **filter expressions** to advertize and query the location, type and **attributes** of services. ... **LDAP** does not follow an XML **data** model. An **LDAP query** is an ex- ... www.scpe.org/vols/vol06/SCPE_6_1_01.pdf

45. RFC2703 - Protocol-independent Content Negotiation Framework

Negotiation (See: content negotiation) Negotiable resource A data ... of a data format which the sender can provide and the recipient can process. For example, an LDAP attribute type for a media feature set. Phone: +44 1491 641 641 +44 118 930 1300 Fax:

+44 1491 641 611 +44 118 930 1301 EMail: GK@**ACM**. ... www.faqs.org/rfcs/rfc2703.html - Cached - Similar

46. [PDF] Querying Distributed RDF Data Sources with SPARQL

File Format: PDF/Adobe Acrobat - Quick View by B Quilitz - Cited by 69 - Related articles

This constraint is a regular SPARQL **filter expression** that en- ... **stores data** about specific types of resources. We denote the constraint as func- tion r(subject, object) with r ... Another example is a wrapper for an **LDAP** server may Listing 1.1 shows a **query** with a conjunctive **filter** on two **attributes**. ... www.eswc2008.org/final-pdfs-for-web-site/qpll-2.pdf - Similar

47. Semantic Cache Mechanism for Heterogeneous Web Querying

by B Chidlovskii - Cited by 55 - Related articles
Mar 5, 1999 ... The query keywords are applied to the **attribute** Title
and chosen randomly ... 5 shows all three measures for both query
sets against the **ACM** server. ... whether a conjunctive **LDAP query**can be answered using cached queries. ... powerful query language
which includes complete boolean **expressions**, ...
www8.org/w8-papers/3a...**query**/.../semantic.html - Cached - Similar

48. [PDF] Directories are special-purpose databases, usu-

File Format: PDF/Adobe Acrobat - Quick View
by SSB Shi - 2000 - Cited by 19 - Related articles
DB2 as the LDAP data store. One advantage is being a highly scalable data store. The search filter is a Boolean expression that consists of attribute ...
ftp://ftp.uni-duisburg.de/LDAP/docs/shi.pdf

49. Serving Scientific Data over the Web - The IEEE Computer Society

by R Drach

Cached

Typically, a Web site must either **store** HTML files to be returned on request or Also, **LDAP** is oriented toward applications where **data** is read much more ... other binary-**data** objects, although the **LDAP query** language is oriented toward textual search. ... A special **attribute** objectClass defines the entry type. ... www.computer.org/portal/web/csdl/abs/html/mags/cs/.../c6014.htm

50. [PDF] Contents

by G von Laszewski - 2000 - Cited by 363 - Related articles
The Portability: Besides the unified data format Java's bytecode ...
vance reservation mechanisms in a supercomputer scheduler or
storage system, or quality- formed, the second parameter
specifies the LDAP query, and the third ... The search string can be
specified, and attributes can be selected easily to ...
www.globus.org/alliance/.../vonLaszewski--cog-cpe-final.pdf

51. RQL: A Declarative Query Language for RDF

by VV FORTH - Related articles

Multi-valued **attributes** can always be represented in a pure relational schema ... The average space required to **store** a **data** triple is 0.123KB. On bounding-schemas for **LDAP** directories. In Proceedings of the ... Evaluating **Queries** with Generalized Path **Expressions**. In Proc. of **ACM** SIGMOD, pages 413–422, 1996. ... 139.91.183.30:9090/RDF/.../www2002.html - Cached - Similar

52. [PDF] pdf - Contents

File Format: PDF/Adobe Acrobat - Quick View
by G von Laszewski - 2000 - Cited by 363 - Related articles
vance reservation mechanisms in a supercomputer scheduler or
storage system, a well-known format for storing threedimensional climate-related data. formed, the second parameter
specifies the LDAP query, and the third ... The search string can be
specified, and attributes can be selected easily to ...
www.mcs.anl.gov/uploads/cels/papers/P862.pdf
53. [PDF] Using Semantic Information to Improve Transparent Query
Caching ...

File Format: PDF/Adobe Acrobat - Quick View by G Soundararajan - Cited by 4 - Related articles to the database and **formats** the results as an HTML page. **Partitioning** a select query could lead to O(2n) parti- ... **filters** out any rows that are not necessary to satisfy the cur- cies between HTML pages or fragments and database **data** ... how to reuse results from existing **LDAP queries** to answer ... www.eecg.toronto.edu/~amza/papers/deec.pdf

54. [PDF] The BRICKS Infrastructure - An Overview

File Format: PDF/Adobe Acrobat - Quick View by T Risse - Cited by 10 - Related articles Within BRICKS we design and implement a decentralized/P2P datastore that manages ... This also implies a very strict mapping to an XML format representa- it is possible to query for classes, attributes, etc. defined in the schema. Other standards used include HTTPS, x509 [21] certificates, LDAP (to access ... www.I3s.de/~risse/pub/eva2005.pdf - Similar

55. <u>Descriptive Naming of Context</u> Data Providers

by NH Cohen - 2005 - Cited by 12 - Related articles combinations of arbitrary tests on **data**-source **attributes**, yielding expressive CxS provider **query** is a boolean XQuery **expression**. ... **attributes** to be tested by an arbitrary boolean search **filter**. However, an **LDAP** direc- Proceedings of the **ACM** SIGMOD International Conference on Man- agement of **Data** ... domino.research.ibm.com/comm/research.../Context-05.pdf

56. Metis: A Thin-Client Application Framework

by DJ Zukowski - Cited by 4 - Related articles requires printing and data-storage services, and a composed of a boolean expression of attribute value the service, and a special Filter object. Passing the to happen is if there is a network partition that ... Server acts an LDAP client. It constructs an LDAP query, and submits the query to an LDAP ... www.usenix.org/publications/library/.../coots97/.../zukowski.pdf

57. [PDF] Day 1- Lecture Topic : C-DAC's Technology Training
Programme on

File Format: PDF/Adobe Acrobat

Determine what computers and what data storage devices are in the grid and the grid-info-host-search -p port hostname "LDAP filter" ... The -x is for anonymous queries. The host and port are determined by issue on "Blue print for the future of High Performance Networking, Communications of the ACM ... www.cdac.in/html/.../gripsi-2007-day01-globus-commands.pdf

58. CHANGES 2.3 - Atlantic Metro Communications - File Mirror

[Eric Covener] *) mod_authnz_Idap: Publish requested LDAP data with an AUTHORIZE_ ... Can be used to turn an output filter into a web service. generalise the envolause to support expression evaluation with ap_expr parser [Nick [Joe Orton] *) Remove the obsolete serial attribute from the RPM spec file. ... mirror.atlanticmetro.net/apache/httpd/CHANGES_2.3 - Cached

59. Rimon Barr: Research

These **attributes**, the last one in particular, highlight an important distinction between ... MagnetOS automatically and transparently **partitions** applications into ... Efficiently publishing relational **data** as XML documents. ... My task was to create a module which allows WebSQL to **query** over **LDAP** directory sources. ... rimonbarr.com/research.html - Cached

60. [PDF] Multi-set DHT for range queries on dynamic data for Grid ...

File Format: PDF/Adobe Acrobat - Quick View by G Da Costa - Cited by 1 - Related articles quite generic as it is possible to translate basic **LDAP** or XPath **queries** (used by Globus ... tributed **store** of **attribute** values (keys) and pointers to grid nodes In particular, since our proposal requires to **partition** all the ... In SPAA '04: Proceedings of the sixteenth annual **ACM** Symposium on Parallelism in ... ftp://ftp.irit.fr/IRIT/ASTRE/Globe08.pdf

61. Design and implementation of security in a data collection system ...

by J Ainsworth - 2006 - Cited by 2 - Related articles

data collection. Such a system is required to store personal,

query class may only query data about themselves and their
privileges, and request ... password can be used to bind to the LDAP
directory. The attribute authority stores In Proceedings of the
Seventh ACM Symposium on Access Control Models and ...
iospress.metapress.com/index/3GANKXE897175QQ1.pdf

62. Title Index

... 10th ACM Conference on Hypertext · 10th ACM International Workshop on Web Information and Data Management Binary XML Storage and Query Processing in Oracle 11g Collective Attributes in the Lightweight Directory Access Protocol (LDAP) DEFLATE Compressed Data Format Specification version 1.3 ...

dret.net/biblio/titles - Similar

63. [PDF] Federated Desktop and File Server Search with libferris

File Format: PDF/Adobe Acrobat - Quick View
by B Martin - Cited by 1 - Related articles
Aug 27, 2007 ... Redland (RDF), Xapian, Beagle, Yahoo, LDAP,
CLucene, Lucene and ... Having two index plugin types allows the
index plugin to organize data on disk to best ... The metadata query
format reserves any metadata names starting with to use in
queries is not listed in attributes-not-to-index and will ...
www.ee.ryerson.ca/~courses/coe518/.../elj2006-152-libferris.pdf
64. [PDF] Querying Distributed RDF Data Sources with SPARQL

File Format: PDF/Adobe Acrobat - Quick View
by B Quilitz - Cited by 72 - Related articles
This constraint is a regular SPARQL filter expression that en- ...
stores data about specific types of resources. We denote the
constraint as func- tion r(subject, object) with ... To come back to the
example of the LDAP server, the service Listing 1.1 shows a
query with a conjunctive filter on two attributes. ...
www.ki.informatik.hu-berlin.de/wbi/research/.../DARQ-FINAL.pdf
65. [PDF] The necessity of semantic technologies in grid discovery

by S Pastore - 2008 - Cited by 1 - Related articles and **storage** capabilities) that are the basis of computing ... because of the need to **filter** out services suitable to the application is thus a Subcluster's **attribute**, while the ... state, the **format** of response **data** (schema-like) and how on the **LDAP query** model [16] by searching information ...

ojs.academypublisher.com/index.php/jnw/article/viewFile/.../723 66. **[PS]** Download - CMIS-L : a **query** language for telecommunication ...

File Format: Adobe PostScript - View as HTML
by B Finance - Cited by 3 - Related articles
depending of the model (e.g. use of scoping and **filtering expressions** to designate ... geographical **attribute** in his
distinguished name. The full DN **format** is ... **LDAP** network
directories have recently proliferated with the growth of the [21]

Buneman P., "Semi-structured data", In Proceeding of the 16th ACM ...

www.prism.uvsq.fr/rapports/1999/document_1999_5.ps 67. Integrated Kerberos-OpenLDAP-OpenAFS provider

Jul 28, 2010 ... In this example, the search pattern matches all GSSAPI-format names ... First try a simple unauthenticated (-x) LDAP query: ... COM SASL SSF: 56 SASL data security layer installed. modifying entry "cn=admin,dc=example,dc=com" ~# _ fs mkm /afs/example.com/.root.afs/acm.uiuc.edu root.cell -cell ... www.rjsystems.nl/.../2100-kerberos-openIdap-openafs-provider.php - Cached

68. [PDF] Ecce – A Problem Solving Environment's evolution toward a Web ...

by K Schuchardt - Cited by 34 - Related articles generate new data **attributes** and relations, as needed. **... data store** where these schemas can evolve without changes to the data approach is to accept a single **query** syntax through the IS interface and translate the **query expression** to ... The second approach is to accept any standard **query** syntax (e.g., **LDAP**, ... ecce.pnl.gov/docs/publications/ecce_evolution.pdf.gz

69. An ActOn-based semantic information service for Grids - Elsevier

by W Xing - 2010 - Cited by 3 - Related articles

For instance, the usage level of a CPU, **storage** space, and network Directory Access Protocol) **data** model in LDIF **format** and uploaded into **LDAP**-based servers of **LDAP**-based **queries** are string-based, and hence they cannot be used to of the **ACM** SIGMOD International Conference on Management of **Data**, vol. ... linkinghub.elsevier.com/retrieve/pii/S0167739X09001538 - Similar

File Format: PDF/Adobe Acrobat - Quick View by W Xing - Cited by 4 - Related articles ... 35000 CPUs, 13 Petabytes of **storage** space in hundreds of **storage** elements, and an average of 40000 MDS is that it is based on the **LDAP data** model, which is too ... **expression** and **query**. RGMA [6] is a framework that combines monitoring and

70. [PDF] An ActOn-based Semantic Information Service for EGEE

(filter) those results on the client side. RGMA and the ActOn- ... www.cs.ucy.ac.cy/~mdd/publ/Grid2007.pdf

71. [PDF] IDfusion An Open-Architecture for Kerberos based Authorization

by GH Wettstein - 2006 - Related articles
The **format** and specification of this field was de- ... secrets in a common **data-store**. While ease of manage- ... This paper proposes **partitioning** authorization into two separate components. can be further **queried** to determine whether or not autho- ing the identities and any related **attributes** into an **LDAP** ... workshop.openafs.org/afsbpw06/talks/wettstein-authimp.pdf

72. [PDF] Ontology-Based Querying of Linked XML Documents

File Format: PDF/Adobe Acrobat - Quick View by L Ahmedi - Cited by 9 - Related articles 3 in 1997 [35], the use of lightweight directories to **store** a variety of information has been **expression** is a boolean combination of atomic **filters** of the ... defines the set of **attributes** to be returned by the query. relevant **data** from the related XML documents. 6.1 XPath into **LDAP Query** Translation ... semanticweb2002.aifb.uni-karlsruhe.de/proceedings/Research/ahmedi.pdf

73. [PDF] [inria-00436280, v1] Ontological Configuration Management for ...

by I Diaz - 2009 - Cited by 4 - Related articles

Nov 26, 2009 ... LDAP storage of miniCIM data is handled with.

XSLT stylesheets that transform XML to and from LDAP format according to name, type and value are codified as an XML element attribute, ... as boolean values that control the expression of others. Query answering for OWL-DL with rules. In ... hal.inria.fr/docs/00/43/62/80/PDF/ipom2009.pdf

74. [PDF] 3010486 GI-Proceedings Cover

File Format: PDF/Adobe Acrobat - Quick View by W Zhou - Cited by 1 - Related articles attributes. 4. attributes query. 6. attributes. 8. decision

response ... may need different input data format. The root policy request context is a data ... Each domain is specified as a collection of LDAP sub-trees, standard for role-based access control", **ACM** Transactions on Information and System ... subs.emis.de/LNI/Proceedings/Proceedings117/gi-proc-117-001.pdf 75. [PDF] Role Based Access Right Specification for Secure Information ...

File Format: PDF/Adobe Acrobat - Quick View by G Godavari - Related articles untamperable format. IETF has proposed Attribute Certificates (AC) as a solution to **store** a **expression** which when evaluated to TRUE, consequence is evaluated. ... For example, results of a query to a database table depends not only on the number of ... corresponding PKIs are all stored in LDAP servers [8]. ... cs.uccs.edu/~infoshare/doc/ccct05/cs691_report.pdf

76. [PDF] Towards A RFID-Oriented Service Location System

File Format: PDF/Adobe Acrobat by B Jin - Related articles to RFID electrical codes and other product attributes, for instance, ... XML-fashion services and service query for the LDAP model in query performance. Service information and service provider data are stored in overlay in a of an Intentional Naming System, 17th ACM Symposium on Operating System ... autoid.mit.edu/.../Jin%20-%20Service%20CatalogNet%20A% 20RFID-Oriented%20Service%20LocationSystem-v3.2.pdf

77. CiteULike: Vertical **partitioning** algorithms for database design

by S Navathe - 1984 - Cited by 226 - Related articles ACM Trans. Database Syst., Vol. 9, No. 4. (December 1984), pp. 680-710. This paper addresses the vertical **partitioning** of a set of logical ... partitioning is to produce fragments, groups of attribute columns, ... Delicious, Export in format suitable for direct import into delicious.com. distributed-storage, 2 ... www.citeulike.org/user/mogwaing/article/2963725 - Cached

78. [PDF] Ontological Configuration Management for Wireless Mesh Routers

File Format: PDF/Adobe Acrobat - Quick View

by I Diaz - Cited by 4 - Related articles

these **data** in **LDAP** directories and generate user interfaces via XForms. OWL ... XSLT stylesheets that transform XML to and from **LDAP format** according to for associations to house possible association **attributes**. supports the complete **expression** of this configuration, taking special care to **store format** ... www.des.udc.es/~juan/papers/ipom2009.pdf

79. [Doc] European Data Grid: middle life project overview and testbed...

File Format: Microsoft Word - View as HTML
by F Gagliardi - Cited by 35 - Related articles
Each VO has an authorisation server (using LDAP technology) to
define its members, GDMP allows mirroring of uncatalogued user
data between Storage Elements. advance reservation of
resources, job partitioning and checkpointing. IEEE/ACM
International Workshop on Grid Computing Grid'2000 – 17-20 ...
hep-proj-grid-tutorials.web.cern.ch/hep-proj.../Perf2002Paper.doc
80. [PDF] Processing Semantic Web Queries in Grid

by M Niinimäki - Cited by 2 - Related articles tation **formats**, including an **LDAP** schema and a relational database schema. **.... query** engine (see [14]) to evaluate RDQL **expressions**. The **data** sources are sim- **...** tries in the original RDF **storage** that represent trade originating from a European **....** In Proceedings of the 5th **ACM** international workshop on. **Data ...** gridblocks.hip.fi/.../

NiinimakiNiemi_ProcessingSemanticWebQueriesInGrid_preprint.pdf 81. RQL: A Declarative Query Language for RDF

by VV FORTH - Related articles

This table has two **attributes**, namely uri and classid, for storing the uri's ... The average space required to **store** a **data** triple is 0.123KB. On bounding-schemas for **LDAP** directories. In Proceedings of the ... Evaluating **Queries** with Generalized Path **Expressions**. In Proc. of **ACM** SIGMOD, pages 413-422, 1996. ... www2002.org/CDROM/refereed/329/ - Cached - Similar

82. [PDF] Making XPath Reach for the Web-Wide Links

File Format: PDF/Adobe Acrobat - Quick View
by L Ahmedi - 2005 - Cited by 2 - Related articles
internal LDAP data representation and query model used ... store a
variety of information has been steadily gaining mo- ... attribute. The
value of ΩBæd must be a Gø RI reference as de- ... the base
should be considered by the filter expression. The in order to
coexist as an ultimate data format in a World ...
https://mailserver.di.unipi.it/ricerca/proceedings/.../T30P17.pdf
83. BABEL: A Glossary of Computer Related Abbreviations and
Acronyms

D/A Digital to Analog DAA Data Access Arrangement + Decimal Adjust for Addition ... Service [AT&T] + Design Data Sheet + Digital **Data Storage** + Distributed ERA Extended Registry **Attributes** ERAS Electronic Routing and Approval System Logical Device Address **LDAP** Lightweight Directory Access Protocol [IBM] ... www.cs.tut.fi/tlt/stuff/misc/babel.html - Cached - Similar

84. [PDF] Storage and Querying of E-Commerce Data

File Format: PDF/Adobe Acrobat - Quick View by R Agrawal - Cited by 134 - Related articles per include stores for XML [7], RDF [1], KBMS [15], LDAP [19] the option of storing table data on a per attribute basis. This rep- ... discuss rewriting of the queries from the horizontal format to vertical format. ... expression as shown below. In SIGMOD 1998, Proceedings ACM SIGMOD International ... www.dia.uniroma3.it/~vldbproc/019_149.pdf

85. <u>Discovery and Its Discontents: Discovery Protocols for Ubiquitous ...</u>

by RE McGrath - Cited by 67 - Related articles **LDAP's query** model is adequate for many kinds of discovery protocols. ... as boolean and arithmetic **expressions** with values of CORBA variables. ... This **format** includes service type (such as `[PRINT]') and **attributes** (such as `color'). ... **filtering** mechanism is far more limited and less powerful than **LDAP** (and ... historical.ncstrl.org/tr/fulltext/tr/uiuc.../UIUCDCS-R-2000-2154.txt - Cached

86. [PDF] A Query Processing Architecture for Sensor Networks

File Format: PDF/Adobe Acrobat - Quick View

by MR Eskicioglu - Related articles

Data Partitioning and Placement: Physical placement ... The data management involves storage, aggregation, and LDAP [15] to route queries to appropriate site database. maintains the necessary information to translate attribute- query for wide area sensor databases," in Proceedings of the 2003 ACM ... cs.acadiau.ca/~shussain/wsn/publications/05-wicon-hussain.pdf 87. [PDF] Project Proposal 590 L – Distributed Component Architecture ...

File Format: PDF/Adobe Acrobat - Quick View by S Karumanchi - Related articles is stored in the directory and connected with PCDD using LDAP (Lightweight ... relationship is created where a role is a data attribute of the user, each query is an expression. This paper talks about data centric model, ... In data centric model, XML is used as storage or interchange format for data that is ... s.web.umkc.edu/ssk7bd/Project2.pdf

88. [PDF] On MAS Scalability

File Format: PDF/Adobe Acrobat - Quick View by N Wijngaards - Cited by 6 - Related articles
Distribution generally involves **partitioning** a (large) set of **data** into parts that The canonical example of a wide-area directory service is **LDAP** ... a **query** to a directory service in the form of a boolean **expression** ... In other words, a returned object has its **attribute** values set according to the **query** as ... www.distributed-systems.net/maarten/**data**/papers/2001.mas-scale. pdf

89. [PDF] NSF Forms

File Format: PDF/Adobe Acrobat - Quick View by E Signature - Related articles
Such attributes and metadata provide means for finding objects
An example LDAP directory of bio-data is available at IUBio (Gilbert, 2002). ... queries over distributed collections, is efficient for high volumes of objects by related source data for gene lookups with gene expression and other database ...
marmot.bio.indiana.edu/about/nsf03-iubio-public.pdf
90. [PDF] Self-maintained Folder Hierarchies as Document Repositories

File Format: PDF/Adobe Acrobat - Quick View
by J Eder - Cited by 8 - Related articles
lect where and how to **store** documents. However, it is dif- ...
Documents are structured or semi-structured **data**. Each ... (such as **LDAP**), workflow forms, and bibliographic refer- ... **attributes** using **expressions**, **queries** or arbitrary function ... folder F, FAbsFilter, is the conjunction of F's relative **filter** ...
reference.kfupm.edu.sa/.../
selfmaintained_folder_hierarchies_as_doc_108426.pdf
91. [PDF] Design and Implementation of a Composable Reflective
Middleware ...

File Format: PDF/Adobe Acrobat - Quick View by N Venkatasubramanian - Cited by 45 - Related articles to reuse cached LDAP directory entries for answering LDAP queries. ... Due to our fairly small data store and frequency of updates actors in the system and carrying out repeated queries and attribute changes. New Design Techniques", Proceedings of the 14th ACM Symposium on Operating System Principles, ... www.ics.uci.edu/~dsm/papers/techreport/composetech.pdf

by D Huynh - Cited by 126 - Related articles point in that the system should not **partition** a corpus **attributes** to **store** for particular classes of objects. A good new **data** entering the system that matches the **query**. For example, agents can automatically **filter** a user's e-mail ... interface with the file system and **LDAP** servers. ...

www.aaai.org/Papers/Workshops/2002/WS.../WS02-11-014.pdf
93. [PDF] POILCY2009 - XACML Policy profile for multidomain Network
Resource ...

File Format: PDF/Adobe Acrobat - Quick View by Y Demchenko - Related articles attributes format definition and policy identification and examples for the Resource and Subject attributes expression. ... identifier in RFC822 (email) or X.521 (LDAP or X.509 ... be used for further policy selection in the storage/repository. ... option, the policy repository should be capable to query ...

staff.science.uva.nl/~demch/papers/policy2009-xacml-nrp-v08.pdf 94. package.xml - ActiveState CPAN PPM Repository

Clayton Donley <donley@wwa.com> mod_perl LDAP Access
Control and Authentication ... in a DBI database John D Groenveld
<groenveld@acm.org> authenticates and application data
storage Burak Gursoy <burak@cpan.org> An application of
<cpan@zoffix.com> ZofCMS plugin to fill templates with data from
query, ...

ppm4.activestate.com/MSWin32-x86/5.10/.../package.xml - Similar
 BABEL: A Glossary of Computer Related Abbreviations and Acronyms

AU Audio (file name extension) AUDIT Automated Data Input
Terminal AUI + Design Data Sheet + Digital **Data Storage** +
Distributed Database Services DDX ... DQDB Distributed Queue
Dual Bus DQL Data **Query** Language DR Data Received D/R
Logical Device Address **LDAP** Lightweight Directory Access Protocol
[IBM] ...

www.comadvantage.com/babel.html - Cached - Similar

96. [PDF] Email addresses are a means to an

File Format: PDF/Adobe Acrobat - Quick View by M Kassoff - Cited by 4 - Related articles other descriptive **attribute**. If a person's ... down based on **filtering** rules, the user starts with an empty ... Directory Access Protocol (LDAP) query run when the email is ... 6th Int'l Workshop the Web and **Data**- bases, **ACM** Press, 2003, pp. 12–13. **format** is useful for sending mail from email ...

logic.stanford.edu/~mkassoff/papers/sea-ieee.pdf
97. [PDF] ACM SIGACT News Distributed Computing Column 8
Distributed ...

File Format: PDF/Adobe Acrobat - Quick View
by S Rajsbaum - 2002 - Cited by 2 - Related articles
Subscriptions are then defined as predicates over event
attributes. ... periodic queries which can be too frequent or too
infrequent, (MDS) [27] was initially designed as a centralized way
to obtain Grid information (via an LDAP peer architectures for
data storage, as a number of such experimental ...

ls4-www.cs.uni-dortmund.de/Lehre/08-40607/p50-casanova.pdf 98. [PDF] Robert Kincaid

File Format: PDF/Adobe Acrobat - Quick View other measurements and **attributes** including mass spectrometry results, phenotypes, ... Biomolecule Naming Service: A novel **LDAP**-based lookup service for ... Responsible for the design and implementation of the **data storage** subsystem for a next Visualizing **expression** data on chromosomal graphic schemes ... rkincaid.net/docs/kincaid-cv.pdf - Similar

99. En-Ez

Dec 13, 1999 ... [http://www.acm.org/calgo/contents/] Erlang is a high-level functional language combining attributes of storage structures, methods of visual presentation, query ... support for LDAP;; a web-based adminstration interface; and a filter guide, each available in PostScript format. ...

stommel.tamu.edu/~baum/linuxlist/.../node16.html - Cached - Similar

100. [PDF] Policy Management in a Distributed Computing Environment

File Format: PDF/Adobe Acrobat - Quick View by R Wakefield - Related articles common purpose, but have different **expression** or syntax. management tool defines and **stores** the user to ... LDAP, Lightweight Directory Access Protocol, an **attribute**-based database system used **attribute query** system that allows the underlying **ACM** Transactions on. Information and System Security, ... www.cs.colostate.edu/.../

www.cs.colostate.edu/.../
CS556_Policy_Management_in_Distributed_Computing.pdf



ACM LDAP filter format

Search

Search within results Search Help Give us feedback

Google HomeAdvertising ProgramsBusiness SolutionsPrivacyAbout Google